

Safety Data Sheet

1907/2006/EC, 1272/2008/EC

Printing date 26.01.2014

Revision: 26.01.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Trade Name: *Q Connect Invisible Tape KF02164*Application of the substance/the preparation: *Re-usable tack adhesive*

Details of Supplier: *Hainenko Limited*
284 Chase Road
Southgate, London
N14 6HF

Phone Number: *0044 20 8882 8734*Fax Number: *0044 20 8882 7749*Email: d.ashpole@hainenko.comEmergency Number: *0044 20 8882 8734*

SECTION 2: Hazards identification

- *Classification of the substance or mixture*
- *Classification according to Regulation (EC) No 1272/2008*

GHS02 *flame*Flam. Liq. 3 H226 *Flammable liquid and vapour.*

GHS07

Skin Irrit. 2 H315 *Causes skin irritation.*Eye Irrit. 2 H319 *Causes serious eye irritation.*Skin Sens. 1 H317 *May cause an allergic skin reaction.*STOT SE 3 H335 *May cause respiratory irritation.*

- *Classification according to Directive 67/548/EEC or Directive 1999/45/EC*

Xn; *Harmful*R21: *Harmful in contact with skin.*Xi; *Irritant*R36/37/38: *Irritating to eyes, respiratory system and skin.*Xi; *Sensitising*R43: *May cause sensitization by skin contact.*R10: *Flammable.*

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of Directive 67/548/EEC, 1999/45/EC and Regulation (EC) No. 1272/2008.

- **Classification system:**

The classification is according to the latest edition of the Directive 67/548/EEC, 1999/45/EC and Regulation (EC) No. 1272/2008, and extended by company and literature data.

(Contd. on page 2)

Safety Data Sheet

1907/2006/EC, 1272/2008/EC

Printing date 26.01.2014

Revision: 26.01.2014

Trade name: Acrylic Adhesive

(Contd. of page 1)

- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS02 GHS07

- **Signal word** Warning
- **Hazard-determining components of labelling:**
n-butyl acrylate
methyl acrylate
2-hydroxyethyl acrylate
- **Hazard statements**
H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.
- **Precautionary statements**
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:**
Mixture of the substances listed below with nonhazardous additions.
For the wording of listed risk phrases refer to section 16.

- **Dangerous components:**

CAS: 141-32-2 EINECS: 205-480-7 EU number: 607-062-00-3	n-butyl acrylate ☒ Xi R36/37/38; ☒ Xi R43 R10 ☠ Flam. Liq. 3, H226; ☠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	53,0%
---	---	-------

(Contd. on page 3)

EU

Safety Data Sheet

1907/2006/EC, 1272/2008/EC

Printing date 26.01.2014

Revision: 26.01.2014

Trade name: Acrylic Adhesive

(Contd. of page 2)

CAS: 96-33-3 EINECS: 202-500-6 EU number: 607-034-00-0	methyl acrylate ☒ Xn R20/21/22; ☒ Xi R36/37/38; ☒ Xi R43; ☒ F R11 ☒ Flam. Liq. 2, H225; ☒ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	1,7%
CAS: 818-61-1 EINECS: 212-454-9 EU number: 607-072-00-8	2-hydroxyethyl acrylate ☒ T R24; ☒ C R34; ☒ Xi R43; ☒ N R50 ☒ Acute Tox. 3, H311; ☒ Skin Corr. 1B, H314; ☒ Aquatic Acute 1, H400; ☒ Skin Sens. 1, H317	1,2%
CAS: 79-10-7 EINECS: 201-177-9 EU number: 607-061-00-8	acrylic acid ☒ C R35; ☒ Xn R20/21/22; ☒ N R50 R10 ☒ Flam. Liq. 3, H226; ☒ Skin Corr. 1A, H314; ☒ Aquatic Acute 1, H400; ☒ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	0,6%
· Non-dangerous components:		
CAS: 7732-18-5 EINECS: 231-791-2	Pure water	43,5%

SECTION 4: First aid measures

- **Description of first aid measures**
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**
No further relevant information available.

SECTION 5: Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
- **Reference to other sections:**
See Section 7 for information on safe handling.

(Contd. on page 4)

EU

Safety Data Sheet

1907/2006/EC, 1272/2008/EC

Printing date 26.01.2014

Revision: 26.01.2014

Trade name: Acrylic Adhesive

(Contd. of page 3)

See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **Handling**
- **Precautions for safe handling:**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Storage:**
- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s):** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

141-32-2 n-butyl acrylate	
IOELV (EU)	Short-term value: 53 mg/m ³ , 10 ppm Long-term value: 11 mg/m ³ , 2 ppm
AGW (Germany)	Long-term value: 11 mg/m ³ , 2 ppm 2(I);DFG, EU, Y
96-33-3 methyl acrylate	
IOELV (EU)	Short-term value: 36 mg/m ³ , 10 ppm Long-term value: 18 mg/m ³ , 5 ppm
AGW (Germany)	Long-term value: 18 mg/m ³ , 5 ppm 1(I);DFG, EU, H
818-61-1 2-hydroxyethyl acrylate	
MAK (Germany)	vgl.Abschn.IV
79-10-7 acrylic acid	
AGW (Germany)	Long-term value: 30 mg/m ³ , 10 ppm 1(I);DFG, Y

- **DNELs:** Not available
- **PNECs:** Not available
- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure**
- **Personal protective equipment**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

(Contd. on page 5)

EU

Safety Data Sheet

1907/2006/EC, 1272/2008/EC

Printing date 26.01.2014

Revision: 26.01.2014

Trade name: Acrylic Adhesive

(Contd. of page 4)

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General information**

· **Appearance**

Form:	Semisolid
Colour:	Transparent
Odour:	Odourless
Odour threshold:	Not available

· **pH-value:** Not available

· **Change in condition**

Melting point/Melting range:	Not available
Boiling point/Boiling range:	Not available
Freezing point:	Not available

· **Flash point:** Not available

· **Flammability (solid, gaseous):** Not available

· **Auto-Ignition temperature:** Not available

· **Decomposition temperature:** Not available

· **Self-igniting:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· **Explosion limits**

Lower:	Not available
Upper:	Not available

(Contd. on page 6)

Safety Data Sheet

1907/2006/EC, 1272/2008/EC

Printing date 26.01.2014

Revision: 26.01.2014

Trade name: Acrylic Adhesive

(Contd. of page 5)

· Oxidizing properties:	Not available
· Vapour pressure:	Not available
· Density:	Not available
· Relative density:	Not available
· Vapour density:	Not available
· Evaporation rate:	Not available
· Solubility in / Miscibility with water:	Not available
· Partition coefficient (n-octanol/water):	Not available.
· Viscosity	
Dynamic:	Not available.
Kinematic:	Not available
· Other information:	No further relevant information available.

SECTION 10: Stability and reactivity

- **Reactivity:** Data not available
- **Chemical stability:** Data not available
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values relevant for classification:**

818-61-1 2-hydroxyethyl acrylate

Oral	LD50	300 mg/kg (mouse)
		548 mg/kg (rat)

96-33-3 methyl acrylate

Oral	LD50	277 mg/kg (rat)
Dermal	LD50	1243 mg/kg (rabbit)

79-10-7 acrylic acid

Oral	LD50	250 mg/kg (rat)
Dermal	LD50	280 mg/kg (rabbit)

- **Primary irritant effect**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Harmful
Irritant
- **Toxicokinetics, metabolism and distribution:** No further relevant information available
- **Acute effects (acute toxicity, irritation and corrosivity):** No further relevant information available
- **Repeated dose toxicity:** No further relevant information available.

(Contd. on page 7)

EU

Safety Data Sheet

1907/2006/EC, 1272/2008/EC

Printing date 26.01.2014

Revision: 26.01.2014

Trade name: Acrylic Adhesive

(Contd. of page 6)

- **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):**
No further relevant information available.


SECTION 12: Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Behaviour in environmental systems:** No further relevant information available
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

SECTION 13: Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|---|-----------------------------|
| · UN-Number | |
| · ADR, IMDG, IATA | UN1133 |
| · UN proper shipping name | |
| · ADR | 1133 ADHESIVES |
| · IMDG, IATA | ADHESIVES |
| · Transport hazard class(es) | |
| · ADR, IMDG, IATA | |
|  | |
| · Class | 3 Flammable liquids. |
| · Label | 3 |
| · Packing group | |
| · ADR, IMDG, IATA | III |
| · Environmental hazards | |
| · Marine pollutant: | No |
| · Special precautions for user: | Warning: Flammable liquids. |

(Contd. on page 8)

Safety Data Sheet

1907/2006/EC, 1272/2008/EC

Printing date 26.01.2014

Revision: 26.01.2014

Trade name: Acrylic Adhesive

(Contd. of page 7)

· Danger code (Kemler):	30
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ):	5L
· Transport category:	3
· Tunnel restriction code:	D/E
· UN "Model Regulation":	UN1133, ADHESIVES, 3, III

SECTION 15: Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **MAK(German Maximum Workplace Concentration)**

None of the ingredients is listed.

· **National regulations**

· **Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.**

· **Other regulations, limitations and prohibitive regulations**

· **SVHC Candidate List of REACH Regulation Annex XIV Authorisation (16/12/2013)**

None of the ingredients is listed

· **REACH Regulation Annex XVII Restriction (13/2/2013)**

n-butyl acrylate (CAS: 141-32-2); methyl acrylate (CAS: 96-33-3); acrylic acid (CAS: 79-10-7)

· **REACH Regulation Annex XIV Authorisation List (17/4/2013) None of the ingredients is listed**

· **Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**

SECTION 16: Other information

· **Recommended restriction of use**

REACH Annex XVII Restricted-40

40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

- metallic glitter intended mainly for decoration,
- artificial snow and frost,
- 'whoopee' cushions,
- silly string aerosols,
- imitation excrement,
- horns for parties,
- decorative flakes and foams,
- artificial cobwebs,
- stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (***)

(Contd. on page 9)

Safety Data Sheet
1907/2006/EC, 1272/2008/EC

Printing date 26.01.2014

Revision: 26.01.2014

Trade name: Acrylic Adhesive

(Contd. of page 8)

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

(**) OJ L 147, 9.6.1975, p. 40.

Relevant phrases

H225 Highly flammable liquid and vapour.
 H226 Flammable liquid and vapour.
 H302 Harmful if swallowed.
 H311 Toxic in contact with skin.
 H312 Harmful in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H332 Harmful if inhaled.
 H335 May cause respiratory irritation.
 H400 Very toxic to aquatic life.

R10 Flammable.
 R11 Highly flammable.
 R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.
 R24 Toxic in contact with skin.
 R34 Causes burns.
 R35 Causes severe burns.
 R36/37/38 Irritating to eyes, respiratory system and skin.
 R43 May cause sensitization by skin contact.
 R50 Very toxic to aquatic organisms.

 The contents and format of this SDS are in accordance with REGULATION (EC) No. 1272/2008, (EC) No. 1907/2006, REGULATION (EU) No. 453/2010 and EU Commission Directive 1999/45/EC, 67/548/EEC.

DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in anyway connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent

 End of document

EU